



**Forum: Trucs en vrac**

**Topic: Supprimer les fichiers inutiles (.pf)**

**Subject: Re: Supprimer les fichiers inutiles (.pf)**

Publié par: Gerome

Contribution le : 26/04/2008 21:18:31

Wai,

Sans batch, directement dans la BDR :

Windows XP Embedded SP2 Feature Pack 2007

Disabling Prefetch

EFW performance can sometimes be improved by disabling Prefetch. Prefetch is a utility that is intended to improve Windows and application startup performance by loading application data into memory before it is demanded. When using EWF with a RAM overlay to protect the boot volume, Prefetch is unable to persist its data from startup to startup. Under these conditions, Prefetch will attempt compute and save new data files each time the system starts up consuming EWF resources with, potentially, no benefit.

To disable prefetch

\* Update the EnablePrefetcher registry key in your run-time image:

Key: HKEY\_LOCAL\_MACHINESYSTEMCurrentControlSetControlSession ManagerMemory ManagementPrefetchParameters

Name: EnablePrefetcher

Type: REG\_DWORD

Value: 0

The EnablePrefetcher key has the following values:

0 = Disabled

1 = Application launch prefetching enabled

2 = Boot prefetching enabled

3 = Application launch and boot enabled

To disable Prefetch, set the value to 0.

Sources :

<http://msdn2.microsoft.com/en-us/library/ms940847.aspx>